
# Ka Ken-Tool



# **Pro Super HubShark**


Bearing & rotor pulling system | Pull and press any hub/bearing on domestic and import vehicles | Done complete on vehicle, no need



**KEN 7326** 

# reCore TPMS Sensor Saver System

Includes everything you need for TPMS valve replacements: 12 TPMS reCore Sensor Savers, TPMS Valve Core Torque Tool (preset at 4 in/lbs), hight speed dual cutter countersink drill bit, precision tap, tap holder with handle, Bottle Ken-Lok™ thread sealant



**KEN 29980** 

# reCore TPMS Sensor Saver System Refill

25 TPMS sensor savers, plus a fresh tap

**KEN 29981** 

#### **MEGA Airblast Bead Seater**

Used on Auto, ATV, and Truck tires For use on tires up to 241/2" diameter ASME-certified 5 gallon tank

**KEN 31444** 



#### **Dual Wheel Separator**

Pusher is ball bearing-driven for near zero turning resistance | Heat treated for long-lasting strength and durabil-



ity | Forcing Screw and Pullers have powerful |  $1^{1/8}$ " diameter x 11 threads | Includes two pullers to cover large and small dual wheel applications | Use with air impact wrench | Sturdy, compact;  $6^{1/2}$ " x  $9^{1/2}$ " x  $2^{1/2}$ ", 5.3 lbs | Made in USA | Limited Lifetime Warranty

**KEN 34549** 

# Martin Tools

# 10 Piece Screwdriver Combo Set

Includes: Electrical 4" and 6", Mechanics 11/2", 4", 6", Sq blade 8", #2 phillips 11/2" and 4", #1 phillips 3", #3 phillips 6"

MRT SD10K



#### 11 Piece Service Wrench Set

Thin head and short handle designed for work in tight spaces 3/4" - 11/2" Sizes

MRT SW11K







#### **NEW 13 Piece Metric Flare Style Crowfoot Wrench Set**

<sup>3</sup>/<sub>8</sub>" drive sizes 15mm-27mm | 12 point special design for maximum surface contact | Made in U.S.A.

MRT BC13KM



## **NEW 10 Piece Metric Flare Style Crowfoot Wrench Set**

<sup>1</sup>/<sub>2</sub>" drive sizes 28mm-50mm | 12 point special design for maximum surface contact | Made in U.S.A.

MRT SC10KM

# GEARWRENCH®

#### **GearWrench 3-Drawer Master Sets**

3-Drawer blow molded case with 3 different tool options | Re-designed blow molded case | Independently sliding draws | Draws locked in place with side flaps Lid with steel hinge | Contains core mechanics hand tools

143 Piece Master Mechanics Tool Set 1/4", 3/8" GWT 80938

219 Piece Master Mechanics Tool Set 1/4", 3/8", 1/2" GWT 80940

239 Piece Master Mechanics Tool Set 1/4", 3/8", 1/2" GWT 80942





### **GearWrench Pinless Universal Impact Socket Sets**

Speed - Ball-in-Socket design rotates smoothly allowing quick removal of tough fasteners | Strength - 4 Flutes on socket ball end distribute the load and wear for increased durability | Access - True 360 degree movement extends traditional range of motion

Metric <sup>3</sup>/<sub>8</sub>" Drive 10 Piece GWT 84921 Metric <sup>1</sup>/<sub>2</sub>" Drive 10 Piece GWT 84936 SAE 3/8" Drive 7 Piece GWT 84922 SAE 1/2" Drive 9 Piece GWT 84937



# 10 Piece 120XP XL Flex Gearbox Wrench Set (SAE 1/4"- 3/4" or Metric 10mm-19mm)

120XP ratcheting box-end with 120 positions gives a 3° swing arc | Universal spline drive works on 12-point, 6-point, rounded 6-point, spline, e-torx and square fasteners | Ratcheting flex-head box-end gives adjustable access angle | 0° offset non-ratcheting end for breaking loose fasteners | Extra-long beam length for increased access, leverage & torque

Metric GWT 86126 SAE GWT 86142






# 120XP XL Combination Wrench Set (SAE 1/4"- 3/4" or Metric 6mm-19mm)

120Xp ratcheting box-end with 120 positions gives a 3° swing arc | Universal spline drive works on 12-point, 6-point, rounded 6-point, spline, e-torx and square fasteners | Reduced diameter ratcheting box-end and open-end for increased access | XL beam design is up to 25% longer for improved reach

Metric (14 Piece) GWT 86426 SAE (11 Piece) GWT 86450

120XP XL Flex Ratcheting Wrench Set (SAE 1/4" - 3/4" or Metric 8mm-19mm)

Metric (12 Piece) GWT 86229 SAE (11 Piece) GWT 86247



## 4 Piece 16" & 20" Combination Dual Material Screwdriver Set

Long blades for access | Black oxide non-slip tip | Laser etched part number and size innovative dual material handle for comfort and performance

**GWT 80069** 

# 2 Piece Extra Long Combination Dual Material Screwdriver Set **GWT 80068**




# 7 Piece Tamper Proof Torx® **Dual Material Screwdriver Set - 6" Blades**

Longer 6" blade for increased access | Black oxide non-slip tip Laser etched part number and size | Innovative dual material handle for comfort and performance

**GWT 80073** 

# 7 Piece Torx® Dual Material Screwdriver Set - 6" Blades **GWT 80071**



For leverage in medium-duty automotive and industrial applications | Angled tip for increased leverage and access Comfortable ergonomic handle

**GWT 82403** 



# **GearWrench Pry Bars with Angled Tip**

For leverage in medium-duty automotive and industrial applications | Angled tip for increased leverage and access Comfortable ergonomic handle

8" x 1/4" Pry Bar with Angled Tip **GWT 82408** 

12" x 3/8" Pry Bar with Angled Tip **GWT 82412** 

17" x 3/8" Pry Bar with Angled Tip **GWT 82417** 

25" x 1/2" Pry Bar with Angled Tip **GWT 82425** 

31" x 1/2" Pry Bar with Angled Tip **GWT 82431** 

36" x 1/2" Pry Bar with Angled Tip **GWT 82436** 

# 4 Piece 7" Snap Ring Plier Set

Remove and install internal and external snap rings | Fixed tips for everyday professional use | Forged design for strength and durability Tapered jaw design allows increased reach and access

**GWT 82150** 



#### **Dead Blow Hammers**

Polyurethane body | Shot filled for reduced rebound | Resistant to cuts, splits, and abrasions | Non-marring | Solvent, gas, brake fluid and antifreeze resistant | Excellent cold temperature properties

18oz. GWT 82240

24oz. GWT 82241

33oz. GWT 82242

49oz. GWT 82243

54oz. GWT 82244





60 Piece 1/4" Drive, 6 Point, Standard & Deep, Fractional & Metric Socket SuperSet®

1/4" Drive Sockets: 1/8", 5/32", 3/16"", 7/32", 1/4", 9/32", 5/16", 11/32", 3/8", 7/16", 1/2", 9/16",5/8" Standard Sockets: 1/8", 5/32", 3/16"", 7/32", 1/4", 9/32", 5/16", 11/32", 3/8", 7/16", 1/2", 9/16" Deep Sockets: 4mm, 4.5mm, 5mm, 5.5mm, 6mm, 7mm, 8mm, 9mm, 10mm, 11mm, 12mm, 13mm, 14mm, 15mm, 16mm | Standard Sockets: 4mm, 4.5mm, 5mm, 6mm, 7mm, 8mm, 9mm, 10mm, 11mm, 12mm, 13mm, 14mm, 15mm | 4.5" Pro Ratchet | 2" & 6" Extensions | Universal joint | 1/4"F - 3/8"M Drive adapter; 3/8"F - 1/4"M Drive adapter; Packaged in a plastic molded case | Made in the USA | Lifetime Warranty

**BONUS Free SK Mechanics Gloves #SKA100012-4** 

SKT 91860



# 49 Piece 3/8" Drive. 6 Point. Standard & Deep. Fractional & Metric Socket SuperSet®

3/8" Drive Sockets: 1/4", 5/16", 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8" | Standard Sockets: 3/8", 7/16", ½", 9/16", 5/8", 11/16, 3/4", 7/8" | Deep Sockets: 6mm, 7mm, 8mm, 9mm, 10mm, 11mm, 12mm, 13mm, 14mm, 15mm, 16mm, 17mm, 18mm, 19mm Standard Sockets: 10mm, 11mm, 12mm, 13mm, 14mm, 15mm, 16mm, 17mm, 18mm, 19mm Deep Sockets | 71/2" Pro Ratchet | 11/2"" Pro Thumbwheel Ratchet | 3" & 6" Extensions | Universal joint | Packaged in a plastic molded case | Made in the USA | Lifetime Warrantv

BONUS Free SK T-Shirt - Black #SKA100252-6 **SKT 94549** 



## 35 Piece 1/4", 3/8", & 1/2" Drive TORX® Bit Socket Set

1/4" Drive TORX Bit Sockets T8, T30; 3/8" Drive TORX Bit Sockets T40, T55; 1/2" Drive TORX Bit Sockets T60; 1/4" Drive Tamper-Proof TORX Bit Sockets T7, T30; 3/8" Drive Tamper-Proof TORX Bit Sockets T40, T55; 1/4" Drive Female TORX Sockets E4. E8: 3/8" Drive Female TORX Sockets E10, E16; 1/2" Drive Female TORX Socket E18 in a molded plastic case | Made in the USA Lifetime Warranty

**BONUS Free Soft Shell Bonded Jacket #SKA100221-6** SKT 19763



# 47 Piece 1/2" Drive. 6 Point. Standard & Deep. Fractional & Metric Socket SuperSet®

½" Drive Sockets: ½", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16", 1", 11/16", 11/8" | Standard Sockets: 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", <sup>7</sup>/<sub>8</sub>", <sup>15</sup>/<sub>16</sub>" | Deep Sockets: 10mm, 11mm, 12mm, 13mm, 14mm, 15mm, 16mm, 17mm, 18mm, 19mm, 20mm, 21mm, 22mm, 23mm, 24mm | Standard Sockets: 10mm, 11mm, 12mm, 13mm, 14mm, 15mm, 16mm, 17mm, 18mm, 19mm | Deep Sockets: 10.3" Pro Ratchet; 2" & 5" Extensions | Packaged in a plastic molded case | Made in the USA Lifetime Warranty

**BONUS Free SK Racing Shirt** #SKA100032-6 SKT 4147-6



# 12 Piece 1/4" Drive, 6 Point, **Swivel Metric Impact Socket Set**

Packaged on a Metal Rail | Made in the USA Lifetime Warranty

**BONUS Free SK Windbreaker** #SKA100191-6 SKT 32350



Packaged on a Metal Rail | Made in the USA Lifetime Warranty

BONUS Free SK T-Shirt - Pink #SKA100261-5 **SKT 4062** 



# 12 Piece 1/2" Drive, 6 Point, **Standard Metric Impact Socket Set**

Packaged on a Metal Rail | Made in the USA Lifetime Warranty

**BONUS Free SK Black Cap #SKHAT02** 

**SKT 4034** 





## 20V Max BL Drill/Impact Kit (2.0AH)

DEWALT brushless motor delivers up to 57% more run time | XR™ Li-Ion batteries with fuel gauge provide 33% more capacity over standard packs DCD790 20V MAX\* 1/2" drill/driver compact (7.2" front to back), light-

weight (3.5 lb) | DCF886 20V MAX\* 1/4" impact driver compact (5.6" front to back) | Both tools feature LED lights with 20 second trigger release delay

**BONUS Free 3/8" Drive Cordless Impact Wrench DCF883B** 

DWT DCK281D2





### 20V Grease Gun (Bare Tool Only)

Powerful motor delivers 10,000 max psi | High-volume pump pushes up to 5.0 oz/min | Up to 16 cartridges per charge | Variable speed trigger 42" extra-long and flexible hose

**BONUS** Free 20V Battery

**DWT DCGG571B** 

# **PRECISION INSTRUMENTS**

## **Split Beam Click Wrench**

Split Beam Click Wrenches overcome many of the problems associated with micrometer adjustable click wrenches in abusive environments | No internal coil spring makes setting the tool, effortless | Split-Beam Design allows no stress on internal parts at rest, no need to wind down after use | All American steel construction | Extremely durable | 4% accurate

3/8" Drive, 100 ft/lbs PRI C2FR100F



1/2" Drive 250 ft/lbs PRI C3FR250F







# 20V Max HT Wrench Detent Pin (Bare Tool Only)

400 ft/lbs of maximum torque Variable speed trigger with electric brake | LED light provides user greater visibility | Durable magnesium gear case and all metal transmission

**BONUS** Get 1 free 20V Battery and 1 Free 20V Flashlight

**DWT DCF889B** 



# **Quick Change Ratcheting Terminal Crimping Kit**

Quickly and easily change Die Sets with the press of a lever | Includes 7 Die Sets for most popular automotive terminals crimping applications | Crimping Tool has

steel frame with comfortable cushion grips | Ratcheting action ensures a perfect crimp every time | Durable, plastic molded

storage case with carrying handle.

18960



# **Heavy Duty Heat Gun** with LCD Display & Kitbox

LCD Display allows user to adjust temperature within 50 degree increments Built-in overload protection shuts the heating element down and prevents burn up | Includes: cone nozzle, fishtail surface nozzle, 10 other common accessories, kitbox

**BONUS Your Choice of 1 Free folding pocket knife** DWHT10272 OR a Free MT16 multi tool DWHT71843

**DWT D26960K** 



# **Mighty Cutter**

Tempered steel blade will cut: heater hose, fuel line hose, air conditioning hose, braided brake hose, copper tractor trailer cable, plastic side body molding trim and 12 Volt battery cable | Replacement Blade Part No. 14303.

SGT 14300



#### **Ratcheting Terminal Crimper**

Ratcheting action ensures a perfect crimp every time Eliminates damaged or distorted terminals | Crimps 22-10 gage insulated terminals | Superior design and construction outperforms other crimpers

SGT 18900





### 1800 Peak Amp Jump Starter

18 AH professional grade high output AGM battery | 12V port 1800 peak amps | 280 Cranking amps, 225 cold cranking amps | 4 Gauge, 28" cables

PSJ-1812

## **DSR Booster Pack**

22 AH battery DSR® portable power unit for 12V batteries | Peak amps 2200 | Cranking amps 330 Cold cranking amps 275 | 4-Gauge, 50" cables | High output professional grade AGM battery

DSR PSJ-2212

### **DSR Booster Pack**

HD DSR $^{\circ}$  portable power unit with two 18 AH batteries for 12 V batteries | Peak amps 3600 Cranking amps 470 | Cold cranking amps 385 | High output AGM batteries | 2-Gauge, 55" cables

**DSR PSJ-3612** 

## **DSR Booster Pack**

Hd DSR® portable power unit with two 22 AH batteries for 12 & 24 V battery systems | Peak amps 4400 Cranking amps 500 | Cold cranking amps 415 | High output AGM batteries | 2-Gauge, 55" cables

DSR PSJ-4424



# 10 LED Lithium Ion Work Light

Two swivel hooks and three covered magnets allow hands-free operation | 10 Super-bright SMD LEDs | High-powered 3W directional torch | Multifunction switch for high/low and torch function | Charging port for included 120V AC and 12V chargers | Unique ball joint enables 360° swivel and tilt | Rechargeable lithium ion battery

DSR SL-360-R



 $D^{\bullet}$ 

# Fully Automatic/Manual Wheel Charger

Microprocessor controlled wheel charger offering timer controlled or fully automatic charging of flooded lead acid and agm batteries | Fully automatic charging of 12V reconditions sulfated batteries | Flooded lead acid and agm batteries, utilizes "thermal runaway" protection for faster & safer charging 70/40/20/4 amp charge rates w/ 300 amp engine start

**DSR PSW-70300A** 



# Wheel Charger with Engine Start

Manual charger with engine start Fan excluded, polypropylene wheels

**DSR PSW-2035** 



#### **Lithium Ion Jump Pack**

12,000 mAH Battery, Complete battery management system Intergrated battery management ensures polarity protection, over/under charge protection and unlimited conntection protection | Digital display to show voltage and charging status Contoured design with textured grip for secure handling

#### Includes

SL1 Lithium-Ion jump starter/fuel pack, clamp adaptor, USB to Mirco USB adaptor, 12V DC accessory adaptor, 12V DC port adaptor AC wall charger, case and owner's manual

DSR SL-1



### 48-C Dominator Pry Bar

Heat-treated the entire length | Cellulose acetate handle which is ergonomically designed | Consists of a straight blade style | Hardened and tempered the entire length for maximum durability | 48" overall length with curved blade



**BONUS** Free Easy Access Hose Clamp Plier 28657

MAY 40160



#### 5 Piece Pneumatic Separating Fork Set

Separate ball joints and tie rods quickly and easily | Minimal shock to the assembly to avoid damage to the vehicle | .401 Parker shank | 5 Piece set packed in a box with full color label | Lifetime warranty

**BONUS FREE LONG 3PC Pneumatic Set** 37323

MAY 31940



# Used Fluid Combo Drain/Evac

25-gallon welded steel tank supported by heavy-duty 4" swivel casters and 6" fixed-axle wheels Powerful compressed-air operated venturi vacuum quickly draws fluids from reservoirs Includes six evacuation wands of varying flexibility, diameter and length | Pressurized self-evacuation feature requires only shopair and a tire chuck to discharge fluids | Tool tray for storage Tank-mounted clip and handle hook to secure discharge and evacuation hoses



# **Low Profile Truck Drain/Electric Pump**

Low-profile design can be easily positioned under high-clearance vehicles | Large 17 gallon (65 liter) capacity reservoir | Reservoir molded of high-impact polypropylene | 6' (1.8 m) long discharge hose with ¾" male camlock connector for external pump | Four large 4" (100 mm)



diameter swivel casters
Includes 120v electric discharge
pump for fluid evacuation |
Includes 17 gallon (65 liter) reservoir w/ 4" (100 mm) diameter
swivel casters, T-handle, 6 ft
(1.8 m) discharge hose with
J-hook, removable filter screen,
120v electric discharge pump

LIN 3669





#### **Tech Meter Kit**

TMX-589 True RMS Digital Multimeter - CATIII 1000 Volt | LOADpro® Dynamic Test Leads | 200 page Electrical Troubleshooting Book | DVD training video - Sullivan Training System | Compass for Alternator and solenoid diagnostics

ESI TMX-589



### **True RMS Low Current Clamp Meter**

Larger 19mm (3/4") clamp size | TRUE RMS accuracy | Improved ZERO function | Accurate measurements down to 1 mA (.001A) | CATIII 600 Volts safty rating

**ESI 688** 





#### **Deluxe Automotive DMM**

Professional grade tool for diagnosing electrical, computer and engine problems on any vehicle | Includes two sets of test leads, RPM pickup, temperature probe, protective holster, 9V battery and instructions manual | Inductive RPM pick-up features a five position, adjustable sensitivity switch

ESI 585K



# Digital Starting/Charging System/Battery Analyzer

6V & 12V Battery Tester -12V & 24VCharging System Tester Tests battery condition & starting/ charging system | Guided test sequence covers - battery, cranking volts and charging system

Charging system test checks the alternator voltage & AC ripple voltage for bad diodes | Battery test results include the State of Health %, State of Charge % and actual CCA capacity | Diagnosis of battery condition displayed | Tester removes surface charge prior to battery test resulting in more accurate results | 2 line LCD display in 7 languages | Tests discharged batteries down to 1.5V

**ESI 725** 



# **LOADpro Dynamic Test Leads**

SteadyPin Probe Tips sit firmly on a male ECM or connector pin OEM approved

**ESI 180** 



# STEELMAN. PRO





# STEELMAN™PRO 50 Piece Impact Grade Bit Drivers

Made from an industrial grade steel and heat treated to the impact grade standard to improve torsional performance over ordinary bits | The sizes are laser etched and the standard and metric bits are different lengths for easy identification | Quick disconnect adapters included in several sizes for ease of use

#### KIT INCLUDES:

PHILLIPS HEAD	2 PH2 (2.5"L), 2 PH3 (2.5"L), 2 PH2 (5"L)	
TORX HEAD	T40 (2.5"L), T30 (2.5"L), T27 (2.5"L), T25 (2.5"L), T20 (2.5"L), T15 (2.5"L), T10 (2.5"L), T40 (5"L), T30 (5"L), T27 (5"L), T25 (5"L)	
HEX BALL	HB8 (3.5"L), HB6 (3.5"L), HB5.5 (3.5"L), HB5 (3.5"L), HB4 (3.5"L), HB <sup>5</sup> /16" (5"L), HB <sup>1</sup> /4" (5"L), HB <sup>7</sup> /32" (5"L), HB <sup>3</sup> /16" (5"L), HB <sup>5</sup> /32" (5"L)	
HEX	H5/16 (2.5"L), H <sup>1</sup> /4" (2.5"L), H <sup>7</sup> /32" (2.5"L), H <sup>3</sup> /16" (2.5"L), H <sup>5</sup> /32" (2.5"L), H8 (1.75"L), H6 (1.75"L), H5.5 (1.75"L), H5 (1.75"L), H4 (1.75"L)	
BIT HOLDERS W/QUICK RELEASE	2 2.5"L, 3.5"L, 6"L	
SOCKET DRIVE	<sup>1</sup> / <sub>2</sub> " (2.0"L), <sup>1</sup> / <sub>4</sub> " (2.5"L), <sup>3</sup> / <sub>8</sub> " (2.5"L), <sup>3</sup> / <sub>8</sub> " (6"L), <sup>1</sup> / <sub>4</sub> " (6"L)	
SOCKET DRIVER	<sup>1</sup> / <sub>4</sub> " (2.5"L), <sup>3</sup> / <sub>8</sub> " (2.5"L), <sup>5</sup> / <sub>16</sub> " (2.5"L)	
SLOTTED FLAT HEAD	2.5"L	

JSP 78633

## STEELMAN™PRO All-In-One Rechargeable Light Kit

Rechargeable base of the light is interchangeable with three different heads A 700 lumens output flashlight head brightens up the darkest of areas | For those tight spaces, the Slim-Lite attachment works at 400 lumens and is perfect for sliding into those tough to reach place | Ultraviolet (UV) head attachment is included for identifying leaks within AC systems

JSP 78708



# STEELMAN™PRO 16 Piece Locking Lug Master Key Set

Removes locking lug nuts on aftermarket wheels | Lug keys for nearly every aftermarket wheel

JSP 78537

### **COBRA Locking Flex-Head Ratchets**

Ratchets lock in 7 different positions allowing the user to get the best fit possible on the fastener | Move the slide down, adjust head to desired position, then move the slide up until click to lock the ratchet head into place



#### Lona

1/4" Drive - 8" Long, 90 Tooth Count **JSP 78623** 

3/8" Drive - 12" Long, 90 Tooth Count JSP 78624

1/2" Drive - 16" Long, 90 Tooth Count **JSP 78625** 

#### Extra Long

1/4" Drive - 12" Long, 90 Tooth Count **JSP 78629** 

3/8" Drive - 16" Long, 90 Tooth Count **JSP 78630** 

1/2" Drive - 24" Long, 90 Tooth Count **JSP 78631** 



## STEELMAN™PRO Rechargeable Slim-Lite

Thin so you can gain access to tight spaces Light works in 3 modes: High (400 lumens), Low (130 lumens), and Strobe | When your current light just won't reach between a rock and a hard place, be a PRO... Steelman™PRO!

JSP 78606



# STEELMAN™PRO UV Penlight (2AAA)

Water resistant and can be used to find leaks when dealing with AC units | UV head puts out 395-405 Nm of UV light and aluminum case is anodized inside and out | Light head has a high impact polycarbonate lens | Steel clip helps for ease of use and location when in the shop | When it comes to AC leak detection, be a pro...Steelman™PRO!



is anodized inside and out for durability Lens is made of high impact polycarbonate Rechargeable up to 300 times so it can be used frequently without having to replace batteries.

JSP 78609



Require the smallest swing arc possible (2.25°) to help you work in tight spaces When you need to gain better access and swing your ratchet faster, be a pro...Steelman™PRO!

1/4" Drive (5.5"L) JSP 98861

3/8" Drive (8"L) JSP 98862

1/2" Drive (10.75"L) JSP 98863



2 Piece 1/4" & 3/8" Drive 160° Tooth Ratchet JSP 98885

JSP 78611

3 Piece 1/4", 3/8", & 1/2" Drive 160° Tooth Ratchet JSP 98860



## STEELMAN™PRO 25 Piece Impact Grade Bit Drivers STEELMAN™PRO Bump-Lites

Made from an industrial grade steel and heat treated to the impact grade standard to improve torsional performance over ordinary bits | Sizes are laser etched Standard and metric bits are different lengths for easy identification | Quick disconnect adapters included in several sizes for ease of use

#### KIT INCLUDES:

PHILLIPS HEAD	2 PH2 (5"L), 2 PH2 (2.5"L), 2 PH3 (2.5"L)
TORX HEAD	T30 (2.5"L), T27 (2.5"L), T25 (2.5"L), T20 (2.5"L)
HEX BALL	HB6 (3.5"L), HB5.5 (3.5"L), HB5 (3.5"L), HB4 (3.5"L), HB <sup>5</sup> /16" (5"L), HB <sup>1</sup> /4" (5"L), HB <sup>7</sup> /32" (5"L), HB <sup>3</sup> /16" (5"L), HB <sup>5</sup> /32" (5"L)
BIT HOLDERS W/ QUICK RELEASE	2.5"L, 3.5"L, 6"L
SOCKET DRIVE	<sup>1</sup> / <sub>4</sub> " (2.5"L), <sup>3</sup> / <sub>8</sub> " (2.5"L), <sup>3</sup> / <sub>8</sub> " ( 6"L)



Comes complete with a nylon cage, TPR bumpers, and SMD

and magnetic holders ensure that you can hang these lights

LED lights to help keep the darkness at bay | Fold-away hooks





1" D-handle impact wrench with dual retainer (Hole + Ring) | Pinless closed reinforced rocking dog impact mechanism ergonomic side handle | Integrated protective cover on the clutch housing | Full teasing trigger, regulator with integrated forward/reverse with 3-position power settings in both directions

**BONUS Free Socket Set SS8205WS** 

**CPT CP7782-6** 



#### Mini 3" Pistol Disc Polisher Kit

3" Hook & Loop pad | Compact and lightweight | Powerful, resistant to stalls Ergonomic rubber molded grip | Two finger progressive throttle | 2,500 rpm free speed

Kit Includes:

3" Backing pad, Two 31/2" foam compounding pads, One 31/2" wool pad, Wrench

CPT CP7201P



#### Mini Pistol Random Orbital Sander Kit

2" and 3" hook and loop pad | Compact and lightweight | Ergonomic rubber molded grip Two finger progressive throttle | 15,000 rpm free speed

Kit Includes:

2" backing pad, 3" backing pad, ten 2" sanding pads (320, 400, and 600 grit) | Spindle key

CPT CP7200S



Twin hammer clutch | Inside trigger for safe operation Super light: 17 lbs. | Ideal power to weight ratio Max. torque 1,700 ft./lbs.

**BONUS Free Socket Set SS8205WS** 

**CPT CP7780-6** 



# **Rotary Sander Kit**

Rubber molded pistol grip | Adjustable power regulator | 2-fingered progressive throttle Silent handle exhaust | Compact and lightweight

Kit Includes:

3" Backing pad, Ten 3" sanding discs 80, 100 and 120 grit, One 3" prep disc, fine, medium and coarse, Spindle wrench

CPT CP7202D



"Stubby" Impact Wrench

450 ft/lbs (610 Nm) of torque | Only 2.9 lbs. (1.3 kg) | Left or right handed operation One hand operation trigger with 3 position settings in forward and reverse | Works in tight spaces that are unreachable with a standard 1/2" impact wrench

**BONUS Free MINI Flashlight CP7731** 

3/8" CPT CP7731

1/2" CP7732



Twin hammer clutch | Combined power regulator with forward/reverse | Compact size at only 11.6 lbs | High Power: 1,200 ft/lbs

**BONUS Free Socket Set SS6008D** 

**CPT CP7763** 



Classic series impact wrench | Ultimate torque: 1000 ft/lbs | Pin clutch oil bath One-handed push button forward/reverse

Four positive power settings | Full power in reverse

**BONUS** Free 1/2" Impact Drive CP734H CPT CP772H





WorkSharp™ Knife and Tool Sharpener Ken Onion Edition

**NEW** <sup>3</sup>/<sub>4</sub>" x 12" Flexible Engineered Norton Abrasive Belts Adjustable Sharpening Guide 15° to 30° in 1° increments Variable Speed Heavy Duty Motor | Multi-Position Sharpening Module | Shop Duty Design

#### DDR WSKTS-KO



# WorkSharp™ Guided Field Sharpener

Compact sharpener designed specifically for use in the field | 5 abrasive steps provide the complete sharpening solution | Built in angle guides ensure a consistent bevel angle across the entire edge of a blade | All elements are self contained and require no set-up or assembly in the field

#### Features & Uses

Hone serrated edges, broad head wrench, built in angle guides, hone on ceramic, sharpen fish hooks, sharpen camp tools, sharpen on diamond, strop on leather, lanyard hole (lanyard not included), removable diamond plates, bench top use, 3 position ceramic rod

#### Sharpens

Standard knives, serrated knives, scissors, broadheads, fish hooks, garden tools, axes & machetes, and so much more

#### **DDR WSGFS221**



#### **Drill Bit Sharpener**

Sharpens largest range and most popular sizes of dull or broken bits including split points and masonry bits | One piece alignment system New "Push to Stop" design will not allow you to over split the bit

point | Sharpens <sup>3</sup>/<sub>32</sub>" – <sup>1</sup>/<sub>2</sub>" drill bits | Sharpens High-speed Steel, Carbide, Cobalt, tin-coated and Masonry bits Carry case Included

**BONUS** Free Replacement Wheel DA31320GF

#### DDR DD500X





# **Multi-Media Inspection Camera Kit**

Recording and play back | 4.5 mm/8mm camera head 4GB SD Memory & USB output | 3" Color LCD & 2.5x Digital Zoom | Illumination control | 110° viewing angle & 180° flip | waterproof flexible case

ACD ARZ6055



# Lithium-Ion 18V 1/2" Drive Super Torque Impact Wrench with Digital Clutch

Patent pending electronic clutch (5) settings 1100 ft/lbs of max breakaway torque | LCD display shows torque stage, battery indication, and torque stage memory functions

ACD ARI2060



# Lithium-Ion 18V <sup>1</sup>/<sub>2</sub>" Drive Compact Impact Wrench with Digital Clutch

**NEW** Compact: 67/8" from Anvil to rear | 625 ft/lbs Breakaway | 300 ft/lbs tightening torque | Lightweight: Only 3.6 lbs | 6 Digital clutch settings (+/- 2% accuracy)!

ACD ARI2064B



NEW Kit includes wrench, two batteries, AC adapter, and canvas bag | Max torque 27 ft/lbs | 210 RPM | Compact & Lightweight Safety Lock Design | Durable Metal Gearbox | Built in Super-Bright LED Forward/Reverse Lever

ACD ARW804



# 12V 3" Mini Polisher (4 Pole) Motor with Headlight Restoration Kit

**NEW** Compact size for small area polishing Convenient two positioned side handle for easy operation Variable speed to avoid spraying polish compound during startup Enough paste to restore 8 average headlights | Delivers excellent crystal clear lens in about 5 minutes average

ACD ARS1210R





#### **HEMIPLUS™ Light**

820 Lumens, 8+ hours continuous cordless runtime | Patented Uni-Beam™ technology | Powerful, wide 70° beam with no shadows or hotspots | 8800 mAH lithium ion battery rechargeable in 4 hours Aircraft-grade aluminum chassis | Charging station included | Optional 12V DC charger and magnet | All parts user replaceable in minutes





#### **CLIPSTRIP CAMO**

**NEW** 140 Lumens | Strip Aray LED Technology | 180° Swivel Magnetic Clip Includes (3) AAA Batteries

CLP 111116

\*sold individually or in set of 12



ZillaReel Workforce 3/8" x 50' Retractable Air Hose Reel

Retractable | Dual axle support | Multi-position guide arm

LEG L8611FZ


# Flexzilla Hi-Vis Safety Green Air Hose with 1/4" MNPT Ends

No memory, kink resistant under pressure 300 PSI working pressure | Abrasion-resistant outer cover | MNPT ends and bend restrictors

3/8" x 25' LEG HFZ3825YW2

3/8" x 35' LEG HFZ3835YW2

3/8" x 50' LEG HFZ3850YW2



Hose included | Auto-rewind | Positive latching mechanism auto locks hose at desired length Mounting bracket for wall or ceiling

LEG L8250FZ







# Flexzilla ZillaWhip Hi-Vis Safety Green Ball Swivel Whip Hose

Increases longevity of main hose Ball swivel increases mobility

3/8" x 2' LEG HFZ3802YW2B

3/8" x 4' LEG HFZ3804YW2B

3/8" x 6' LEG HFZ3806YW2B






# 12 Gallon Stainless Steel 6.5 Peak HP Automotive Professional Wet/Dry Vac

Ultra quiet operation | Rugged stainless steel tank | Extra long 36' power cord | Large 8" rear wheels and transport handle for easy mobility | Blower port | On-board tool storage keeps tools neatly organized | Ultra-Web® cartridge filter

and high efficiency collection filter bag | Included accessories: 1½" x 12' Lock-On® hose, 1½" Claw nozzle, 1½" Crevice tool, 1½" Adaptor, 1½" Elbow grip, 12" Floor nozzle with squeegee and brush inserts, 2 Extension wands

SHO 9621310



Lock-On® hose | Claw utility nozzle Crevice tool | Adaptor

SHO 5873510





#### **4 Piece Dead Blow Hammer Set**

Set Includes: (1) 8oz, (1) 16oz, (1) 24oz, & (1) 32oz Comfortable, textured handles for handling ease

**TNT 63144** 



# Spot-Sprayer Non-Aerosol Sprayer - BLUE

80-150psi operating pressure | Refillable Not for use with paint products | Do not use with flammable propellents | Eliminates dangerous or harmful propellants | ECO friendly | Rebuild Kit Available 19420

TNT 19424

#### 43 Piece Master Star Bit Socket Set

Set Includes: (12) External Star Sockets, (13) Star Bit Sockets, (12) Tamper Resistant Star Bit Sockets, (6) 1/4" Star Bits Blow mold case for easy and convenient storage

TNT 54137







# **30 Piece Neon Magnetic Pick-up Tool Display**

Telescopes from  $5^{1/2}$ " to  $25^{1/4}$ " | Picks up ferrous metal objects weighing up to 2.5 lbs

ULM HT5-30PK



# **LED Telescopic Magnifying Glass**

Two high intensity LED lights | Stainless Steel Antenna telescopes from 10<sup>1</sup>/<sub>4</sub>" to 37<sup>1</sup>/<sub>4</sub>" 2" viewing diameter | 4x magnifying strength All-angle ball joint swivels for 360° viewing

**ULM MG-2LT** 



## 48 LED Rotating Work Light

48 High Intensity LED Lights | Sturdy Aluminum Housing | Rotates 360° | Strong magnetic base attaches to any ferrous metal Rotating head pivots to direct light to needed angle | Includes (3) AA Batteries

**ULM RT-48LED** 






speed | Patented quick reverse on the job and direction indicators | Ergonomic comfort grip and throttle lever | Built-in torque regulator and handle exhaust | Anti-spread head design with protective cover

FPT FP-733M





ft/lbs working torque | 8500 RPM free speed Generates 1,000 BPM in impact mode Hard-hitting Xtreme twin clutch mechanism

AIRCAT 1250-K



# 12V Max Lithium-Ion Cordless Recipro Saw, Tool Only

25% Faster Cutting Speed on 11/2" PVC Pipe Variable speed motor 0-3,300 strokes per minute Makita-exclusive dual-position on/off switch "Tool-less" blade change system | (battery not included)

MAK RJ01ZW

# 12V Max Lithium-Ion Cordless 3/8" Drive Right Angle Drill, Tool Only

Close Quarters Drilling and Driving | Makita-built motor delivers up to 100 in.lbs. of Max Torque | Variable speed (0 - 800 RPM) | (battery not included)

MAK AD02ZW



# 12V Max Lithium-Ion Cordless 1/4" Drive Impact Driver, Tool Only

Makita-built motor delivers 800 in/lbs of Max Torque in an ultra compact size | Variable speed (0-2,400 RPM & 0-3,000 IPM) Built-in L.E.D. light illuminates the work area (battery not included)

MAK DT01ZW



# 12V Max Lithium-Ion Cordless 1/4" Drive Hex Driver-Drill, Tool Only

Variable 2-speed design (0-350 & 0-1,300 RPM) | Makita-built motor delivers 200 in.lbs. of Max Torque and 120 in/lbs of PTI torque in an ultra compact size | Convenient 1/4" hex chuck for quick bit changes | Built-in L.E.D. light illuminates the work area (battery not included)

MAK FD01ZW



# 12V Max Lithium-Ion Cordless 3/8" Drive Driver-Drill, Tool Only

Variable 2-speed design (0-350 & 0-1,300 RPM) | Makita-built motor delivers 200 in/lbs of Max Torque and 120 in/lbs of PTI torque in an ultra compact size | Built-in L.E.D. light illuminates the work area | (battery not included)

MAK FD02ZW



# 12V Max Lithium-Ion Cordless 3/8" Drive Impact Wrench, Tool Only

Makita-Built Motor Delivers 1,000 in/lbs of Max Torque | Variable speed (0-2,300 RPM & 0-3,000 IPM) | Built-in L.E.D. light illuminates the work area | (battery not included)

MAK WT01ZW





Loosens rusted or frozen screws quickly and manually | Simply strike with a hammer | Each impact turns the bit 20° and develops up to 200 ft/lbs torque to free rusted or frozen screws | Can also be used with 1/2" drive impact sockets | Includes #2, #3, #4 Phillips and 3/8" straight bits.

LIS 30750



## **Diesel Filter Wrench for Paccar**

All metal wrench to remove and install bowls on newer paccar chassis mounted fuel filter assemblies | Half-moon design allows easier access to the fuel filter found on Kenworth, Peterbilt and Cummins diesels | Laser-cut steel provides strength to loosen even the toughest bowls | Thick padded grip for comfort.

LIS 61060

# **Low Rider Creeper Seat**

Features an adjustable cushioned backrest The legs and wheels can be flipped over for a 5" or 8" working height at the top of the seat cushion | The seat creeper assembly is 30" wide by 13" deep with 1" of ground clearance The backrest has a 3" adjustment range with a guick-release pin, or can be removed when used as a knee creeper | Two locking wheels for extra stability when needed.

LIS 93502

# Flexible 23<sup>1</sup>/<sub>2</sub>" Magnetic Pick-Up

Adjustable telescoping action extends from 5<sup>3</sup>/<sub>8</sub>" to 23<sup>1</sup>/<sub>2</sub>" with a 3<sup>1</sup>/<sub>2</sub>" flexible segment that holds its shape | Super strong neodymium magnet picks up all ferrous metal objects up to 2.5 lbs | Adjustable telescoping action extends from 53/8" to 231/2" with a 31/2" flexible segment, that holds its shape, to get into tight spots.

LIS 66580



## **Combination Brake Lining Gauge Set**

Allows brake pad wear to be accurately and consistently measured without guessing | Designed to check both straight on or at a 90° angle to the rotor with offset tips so the gauges can be used without removing the wheel or caliper assembly on many applications | Brake lining gauges identify thickness levels for brake lining inspection | Made from durable, flexible acetal | The gauges are color coded to match SAE or Metric recommendations for brake pad replacement.

LIS 81850





lockable swivel tips | 13 interchangeable tips with swivel head action

**LTI LT820** 



Offset 15° angle for greater access in tight areas | Recessed non-turning head well prevents driver slipping off stud or fastener | Extra-long extra heavy non-turning straight hammer won't rotate off stud

LTI LT1800



#### 4800 Peak Amp Smart Starter

12/24V, 48Amp Hours, Dual AGM Batteries | 66" Cables, HD Clamps with LED Light | Reverse Polarity Safety Buzzer Built in Trolley | Swiss Engineering, American Assembly

KTA FA-2450





### **Hub Shocker**

Removes all frozen hubs instantly | Universal fit mounts to all hubs | Mounts to two studs using lugnuts in seconds | Strike the 2" square metal tube with a heavy hammer and see how fast hub "pops" out | Will not damage axle | Patent Pending

**LTI LT830** 



## 1800 Peak Amp Smart Starter

12V, 18Amp Hours, AGM Battery 43" Cables, HD Clamps With LED Light. | Reverse Polarity Safety Buzzer | Swiss Engineering, American Assembly

KTA FA-1218



**Corded LED Flood Light with Tripod** 

20W COB LED 1400 Lumen Rainproof | Tripod Included

ASM LFC20T

## Rechargeable LED Flood Light

COB LED Flood Light | Rainproof Cast Aluminum Powder Coat Housing Lithium Ion Battery, 5 Hour Run Time

10W ASM LFR10 26W ASM LFR20







#### CarScan +OBD1

Retrieves Enhanced and Transmission diagnostic codes in all OBD2 (1996 and newer) and some of the most popular OBD1 (1981 to 1995) vehicles | Displays Freeze Frame data and records and plays back OBD2 live data graphing on the tool | Links to all OBD2 protocols including C.A.N. to decode "Check Engine" light problems

**INV 31403** 



#### ABS/SRS + OBD2® Scan Tool

Professional OBD2 Generic Scan Tool for all 1996 and newer cars, light trucks, and SUVs - Domestic, Asian and European Import | Reads & erases ABS & SRS codes on the most popular 1996 and newer GM, Ford, Chrysler, Toyota and Honda vehicles | Displays Freeze Frame data and records and plays back OBD2 live data graphing on the tool

**BONUS** Free Multi Meter 3320

INV 31603



#### CarScan + OBD1 & SRS/ABS

Designed to retrieve Enhanced and Transmission diagnostic codes in all OBD2 (1996 and newer) and some of the most popular OBD1 (1981 to 1995) vehicles Reads & erases ABS & SRS codes on the most popular 1996 and newer GM, Ford, Chrysler, Toyota and Honda vehicles | Displays Freeze Frame data and records and plays back OBD2 live data graphing on the tool

**BONUS Free Multi Meter 3340** 

**INV 31703** 

ACDelco	11
Alert Systems	
Chicago Pneumatic	
CLIPLIGHT	
DeWALT	5
Drill Doctor	11
DSR, Shumacher	6
Electronic Specialties	7
Firepower, Victor Technologies	
Florida Pneumatic, AIRCAT	
Gearwrench	
INNOVA	15
JS Products, STEELMAN	
KenTool	1
King Tony America, M7	14
Legacy Manufacturing	
LINCOLN	
Lisle	14
Lock Technology	14
Makita	13
Martin Tool	1
Mayhew Tools	7
Motorguard	15
Precision Instruments	
Schley Products	
S&G Tool Aid	5

ShopVac

SK Hand Tool

**Ullman Devices** 

Titan Star Asia USA





# Magna Stitcher **Plastic Repair System**

American Made solution to plastic repair | three power levels for rapid and precise staking of all thermoplastic materials | High-intensity work light in the gun to illuminate out of the way areas and comes with an assortment of Magna-Stakes | Repairs can be made on flat surfaces, tabs, holes, ribs, inside and outside corners

**BONUS** Free MS-2040 Magna Stake Kit MTG MS-2500



12

12

13



# Magna-Spot Entry-Plus Kit

This NEW kit combines the economy of an entry level kit with professional level accessories 1 Magna-Spot 1000 Stud Gun

1 Heavy Duty Magna Slide

Hammer | 1 Storage Container 1 Electrode | 500 2.0 mm Draw Pins | Exclusive Magna Pin System (M.P.S.) | 5 Year Warranty

MTG JO1050

15



Sale prices good through 3/31/15 except where otherwise noted. Prices limited to supplies on hand. We are not responsible for errors in pricing or descriptions.

This is a national publication: not all items are stocked at every location. Some items ship by freight and cannot travel via UPS.

TEDA® is a registered trademark of Tool & Equipment Distributors Associates, Inc. Columbia, MD.





### BMW, MINI, VW 11mm Brake Bleeder Wrench Set

Provides the proper offsets and angles to access brake bleeder screws on calipers with electromechanical parking brakes | In most cases the bleeder screws can be accessed without removing the wheels greatly reducing service times!

**SPT 12700** 



#### Ford 6.4L Diesel Turbo Arm Puller

Remove 2008 to 2010 Ford 6.4L Power Stroke Diesel Turbo Actuator Link Rod from Turbo Arm on vehicle | Over time the connection between link rod and arm is difficult to separate | A puller is required to effectively separate the components on the vehicle without damaging on the components or tools.


**SPT 12250** 



#### Mercedes 272/273 Cam Lock Tool

Used to hold left cam shaft on Mercedes 272 & 273 engines on select models from 2005 to 2012 Locking the left cam allows cam chain drive system service to be performed without losing proper cam shaft timing during service process reducing service times

**SPT 12800** 



Extended reach 181/2" Long wrench is designed to reach hard to access and extremely tight alignment bolts on BMW, MINI, AUDI, VW & PORSCHE vehicles | 21mm 12 point socket with special angle and bidirectional offset for proper alignment and fastener access | 24mm 12 point socket with Deep Offset allows access to lock nuts through the socket and accesses guarded bolt heads.

SPT 12900

#### **Duramax Fuel Rail Pressure Switch Wrench**

R&R fuel rail pressure sensor on 2006 to 2010 Duramax LBZ & LMM diesel engines without removing EGR Cooler and Heat Shield Compact socket head and swivel handle allows tool to access sensor in tight places greatly reducing sensor R&R service times

**SPT 12150** 



# **Firepower Multi-Process Welding System Units**

**NEW** 3-in-1 machines which feature MIG, stick, and TIG processes in a single unit | Weighs only 33 lbs | Includes a quick start guide CD for simple set-up, Argon/CO<sub>2</sub> pressure regulator gauge, hose, electrode holder, ground clamp, drive roll, contact tips

**MST 140i** 

115V, 140 Amps, 5,000 Watts

FIR 1444-0870

#### **MST 180i**

115V, 180 Amps, 9,000 Watts | Includes spool gun capable for aluminum MIG welding

FIR 1444-0871

#### **MST 220i**

Dual 115V/230V, 7,500 Watts Includes spool gun capable for aluminum MIG welding

FIR 1444-0872





#### Firepower 250 Series Oxy Fuel Kit

Oxyfuel 250, Oxy-Acetylene Outfit | High Capacity: Cut 1/8" (3.2 mm) to 5" (127 mm) | Heat using multiple heat nozzles | Weld up to 1/2" Steel | Rugged: Constructed with High Strength Allow heavy duty stainless steel and durable brass | Safety: Meets or exceeds industry safety standards

FIR 0384-2571